

N27 BIOFILTER (AIR PURIFICATION)



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
			 Image: A second s		

Description

Air biofilters are facilities to control and purify biological waste gas. They are developed to reduce and eliminate biogenic odours and represent a relatively simple technical installation. The application of biofilters is diverse, including for example agriculture, sewage treatment plants, biogas plants, and composting plants. Bacteria and microorganisms are located on a filter medium (breeding ground) that absorbs odours of the air stream.

Conditions for Implementation

- needs bacteria dependent conditions
- financial investment

	Transpiration	
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Curfo co Motor	Water Infiltration	
Surface Water Regulation	Water Retention	
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \bullet \bigcirc$
and Noise	Air Biofiltration	$\bullet \bullet \bigcirc$
Reduction	Noise Reduction	
Diadiversity	Habitat Provision	
Biodiversity	Connectivity	
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	



Constructed Wetlands & Built Structures for Water Management



N22 BIOFILTER (WATER QUALITY)



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	1				

Description

Biofilters are developed to collect and purify stormand wastewater and represent a promising system for storm water treatment. Bacteria and microorganisms are located on a filter medium, which often consists of sand or granular activated carbon. The biofilm of bacteria degrades nutrients and contaminations in the wastewater that is piped through the filter material.

Conditions for Implementation

- flat terrain
- space needed
- financial investment

	Transpiration	
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \bigcirc \bigcirc$
Curfo co Motor	Water Infiltration	$\bullet \bullet \bigcirc$
Surface Water Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	$\bullet \bullet \bigcirc$
	Water Reuse	$\bullet \circ \circ$
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bigcirc \bigcirc$
Diodiversity	Connectivity	
	Beauty / Appearance	$\bullet \circ \circ$
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	



Constructed Wetlands & Built Structures for Water Management



N15 BIOSWALE



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	 Image: A second s			 Image: A second s	

Description

A bioswale is a vegetated, linear and low sloped pit often established in urban areas near roads with the objective to reduce flood risk during or after heavy rain events. Bioswales absorb, store and convey surface water runoff and also remove pollutants and sediments, when the water trickles through the vegetation and soil layer. The choice of vegetation for bioswales is variable but deeprooted native plants are common and preferred.

Conditions for Implementation

- collecting system required
- space needed
- multifunctional use if possible

	Transpiration	
	Shading	
Cooling Service	Evaporation	$\bullet \bigcirc \bigcirc$
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \bigcirc \bigcirc$
Surface Water	Water Infiltration	$\bullet \bullet \bigcirc$
Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	$\bullet \bigcirc \bigcirc$
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	$\bullet \circ \circ$
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Diadiversity	Habitat Provision	$\bullet \circ \circ$
Biodiversity	Connectivity	$\bullet \circ \circ$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	





N2 BOULEVARDS



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s	1	

Description

Boulevards represent a possibility to establish several trees in cities amongst others to mitigate urban heat stress. Within boulevards, trees are commonly arranged along streets, bicycle paths and sidewalks. The treetops of opposite trees often form a nearly closed canopy. As a result, the street in die middle of two tree lines is protected, shaded and the air temperature is lowered.

Conditions for Implementation

- route characteristics
- soil material and depth
- enough space in the underground
- topography

	Transpiration	
Cooling Service	Shading Evaporation	
Cooling Service	Building (Insulation)	
	Reflection (Albedo)	$\circ \circ \circ$
	Water Conveyance Water Infiltration	000
Surface Water		
Regulation	Water Retention	$\bigcirc \bigcirc \bigcirc \bigcirc$
	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \bigcirc \bigcirc$
and Noise	Air Biofiltration	$\bullet \bigcirc \bigcirc$
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bigcirc \bigcirc$
Diodiversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	$\bullet \circ \circ$
	Education	
Provisioning Service	Food / Energy / Material	\bullet \circ \circ
Climate Regulation	CO2 Sequestration	



Green Roofs



N14 CONSTRUCTED WET ROOF



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 ✓ 	 Image: A second s	

Description

The idea of constructed wet roofs is to connect green roofs and constructed wetlands for domestic wastewater treatment. Besides, constructed wet roofs retain storm water for a certain period of time, gradually releasing rainwater and reducing the overall runoff. The plants are irrigated with storm- and wastewater to ensure the surface layer remains moist. Furthermore, constructed wet roofs have positive impacts on the microclimate.

Conditions for Implementation

- Waterproofing surface/roof
- sufficient roof load-bearing capacity
- slope gradient to water outlets
- emergency overflows

	Transpiration	$\bullet \bullet \bigcirc$
	Shading	$\bullet \bigcirc \bigcirc$
Cooling Service	Evaporation	$\bullet \bigcirc \bigcirc$
	Building (Insulation)	$\bullet \bullet \bigcirc$
	Reflection (Albedo)	$\bullet \bigcirc \bigcirc$
	Water Conveyance	$\bullet \bigcirc \bigcirc$
Surface Water	Water Infiltration	
Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	$\bullet \bigcirc \bigcirc$
	Water Reuse	$\bullet \circ \circ$
Water	Water Filtering	$\bullet \bigcirc \bigcirc$
Purification	Water Bio-remediation	$\bullet \circ \circ$
Air Purification	Deposition	$\bullet \bigcirc \bigcirc$
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \circ \circ$
Diodiversity	Connectivity	
	Beauty / Appearance	$\bullet \bigcirc \bigcirc$
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$



Constructed Wetlands & Built Structures for Water Management



N20 CONSTRUCTED WETLANDS



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
✓	1		 Image: A second s	 Image: A second s	

Description

Constructed wetlands represent artificial wetlands with the main objective to harvest, treat and store stormwater runoff in urban areas. Processes of natural wetlands are adapted to constructed wetlands focusing on water purification and storage. The established vegetation, the soil and microbiological activity play an important role for the filter performance of constructed wetlands.

Conditions for Implementation

- suitable locations
- near source of wastewate
- compact soils
- topography

	Transpiration	$\bullet \bigcirc \bigcirc$
	Shading	
Cooling Service	Evaporation	$\bullet \bullet \bigcirc$
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \circ \circ$
Curfe en Mater	Water Infiltration	$\bullet \circ \circ$
Surface Water Regulation	Water Retention	$\bullet \circ \circ$
Regulation	Water Storage	$\bullet \circ \circ$
	Water Reuse	$\bullet \bullet \bigcirc$
Water	Water Filtering	
Purification	Water Bio-remediation	$\bullet \bullet \bigcirc$
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Piedivorcity	Habitat Provision	
Biodiversity	Connectivity	$\bullet \bullet \bigcirc$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	
	Education	$\bullet \bigcirc \bigcirc$
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	





N23 DAYLIGHTING



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	1			 Image: A second s	

Description

Daylighting describes the opening of buried watercourses, rivers or drainage systems by removing the soil layers above. Thereby the river gets more space for eventual expansion which can mitigate floodings. Furthermore, daylighting has positive effects on the environment and aesthetic of the surrounding.

Conditions for Implementation

- restriction/limited possibilities in highly dense and build-up areas because of high cost for shifting of infrastructure/removing of infrastructure
- enough space to deculvert the watercourse
- certain channel width
- need to assimilate knowledge about soil types under/surrounding the channel to guarantee the performance of the daylighting measure

	Transpiration	$\bullet \circ \circ$
	Shading	$\bigcirc \bigcirc \bigcirc$
Cooling Service	Evaporation	$\bullet \circ \circ$
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \circ \circ$
Surface Water	Water Infiltration	$\bullet \bigcirc \bigcirc$
Regulation	Water Retention	$\bullet \circ \circ$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	$\bullet \circ \circ$
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Disalisansitas	Habitat Provision	
Biodiversity	Connectivity	$\bullet \circ \circ$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	$\bullet \circ \circ$
	Education	$\bullet \circ \circ$
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$



Green Roofs



N12 EXTENSIVE GREEN ROOF



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s	 Image: A second s	 Image: A second s

Description

Extensive green roofs contain a thin layer of substrate and plants on top. The basic, light weight systems, characterized by minimum maintenance and management after establishment of the system. Appropriate plants for extensive green roofs are low growing, rapidly spreading like succulents such as sedums, herbs, wildflowers, grasses or mosses. They are able to survive with minimum nutrient uptakes and without additional nutrient supply.

Conditions for Implementation

- solid, stable buildings (static requirements)
- flat or relatively flat roofs
- Waterproofing surface/roof

	Transpiration	
	Shading	$\bullet \bigcirc \bigcirc$
Cooling Service	Evaporation	$\bullet \bigcirc \bigcirc$
	Building (Insulation)	$\bullet \bigcirc \bigcirc$
	Reflection (Albedo)	$\bullet \bigcirc \bigcirc$
	Water Conveyance	$\bullet \bigcirc \bigcirc$
Surface Water	Water Infiltration	
Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bigcirc \bigcirc$
Diodiversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	$\bullet \bigcirc \bigcirc$
Socio-Cultural	Usability / Functionality	$\bullet \bigcirc \bigcirc$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$

Inspiration Card Nature Based Solution



N5 GREEN CORRIDORS



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s	 Image: A second s	

Description

Areas of derelict infrastructure, e.g. railway lines, that are transformed into linear parks play an important role in urban green infrastructure networks and help to re-nature cities. Also regeneration along waterways and rivers often results in linear interconnecting parks.

Conditions for Implementation

existing structures with enough surrounding space

	Cooling Service	Transpiration Shading Evaporation Building (Insulation) Reflection (Albedo)	
	Surface Water Regulation	Water Conveyance Water Infiltration Water Retention Water Storage Water Reuse	
	Water Purification	Water Filtering Water Bio-remediation	
l	Air Purification and Noise Reduction	Deposition Air Biofiltration Noise Reduction	
I	Biodiversity	Habitat Provision Connectivity	
	Socio-Cultural Services	Beauty / Appearance Usability / Functionality Social Interaction Education	
	Provisioning Service	Food / Energy / Material	
	Climate Regulation	CO2 Sequestration	



Green Walls



N6 GREEN FACADES



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s	1	

Description

Planted walls with controlled cultivation are called green facades. Facade greenings are divided in two types. The facade-bound greening which is a part of the facade or uses the facade for fixing panels and containers to it, as well as ground based facade greening using climbing plants.

Conditions for Implementation

- requirment of the used plants
- not suitable in very dry/hot/cold areas
- risk of fire
- potential need of supporting frameworks

	Transpiration	$\bullet \bullet \bigcirc$
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	$\bullet \bullet \bigcirc$
	Reflection (Albedo)	
	Water Conveyance	
Curfe en Minter	Water Infiltration	
Surface Water Regulation	Water Retention	
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \bigcirc \bigcirc$
and Noise	Air Biofiltration	$\bullet \bigcirc \bigcirc$
Reduction	Noise Reduction	
Piodivorcity	Habitat Provision	$\bullet \bigcirc \bigcirc$
Biodiversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \bigcirc \bigcirc$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \bigcirc \bigcirc$





N8 GREEN NOISE BARRIER

	the second second
- the standing of the standing	
discher half the states of	
Noise barrier as free standing living wall	

Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
✓	1		 Image: A second s	 Image: A second s	

Performance Description Transpiration $\bigcirc \bigcirc \bigcirc$ Shading $\mathbf{0}$ Cooling Service Evaporation Building (Insulation) Reflection (Albedo) $\bullet \bullet \bigcirc$ Water Conveyance Water Infiltration Surface Water Water Retention Regulation Water Storage Water Reuse Water Water Filtering **Conditions for Implementation** Purification Water Bio-remediation Deposition Air Purification and Noise Air Biofiltration $\bullet \circ \circ$ Reduction Noise Reduction $\bullet \bullet \bigcirc$ Habitat Provision Biodiversity Connectivity $\bullet \circ \circ$ Beauty / Appearance \mathbf{O} Usability / Functionality Socio-Cultural Services Social Interaction Education Provisioning Food / Energy / Material Climate CO2 Sequestration $\mathbf{0}$ Regulation





N3 GROUP OF TREES



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
 Image: A second s	 Image: A second s		 Image: A second s	 Image: A second s	

Description

Group of trees mimicking the shape of a forest in an urban setting. They may be an option for the design of shaded squares and places or as a contrasting element in densely built up areas or for court yard design.

Conditions for Implementation

- different species for biodiversity
- soil material and depth
- enough space in the underground

Cooling Service	Transpiration Shading Evaporation Building (Insulation) Reflection (Albedo)	
Surface Water Regulation	Water Conveyance Water Infiltration Water Retention Water Storage Water Reuse	
Water Purification	Water Filtering Water Bio-remediation	
Air Purification and Noise Reduction	Deposition Air Biofiltration Noise Reduction	
Biodiversity	Habitat Provision Connectivity	
Socio-Cultural Services	Beauty / Appearance Usability / Functionality Social Interaction Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	

Inspiration Card Nature Based Solution

Constructed Wetlands & Built Structures for Water Management



N16 INFILTRATION BASIN



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	1			v	

Description

Infiltration basins are flat areas planted with grass and normally dry. After a heavy rain the water fills up the basin and soaks into the ground.

Conditions for Implementation

- available space
- local soil conditions (infiltration capacity
- can be combined with other usage
- Highly specific rainwater intensities

	Transpiration	
	Shading	
Cooling Service	Evaporation	$\bullet \circ \circ$
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Surface Water	Water Infiltration	$\bullet \bullet \bigcirc$
Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	$\bullet \bigcirc \bigcirc$
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bigcirc \bigcirc$
Biodiversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	$\bullet \circ \circ$
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	





N11 INTENSIVE GREEN ROOF



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s	 Image: A second s	1

Description

Intensive green roofs are overcast by a thick amount of substrate which enables the growth of larger plants up to regular trees. These roofs are often accessible for public or recreation. To enable human activities on green roofs and the integration of larger plants, trees and architectural elements, suitable rooftops need to be relatively flat.

Conditions for Implementation

- solid, stable buildings (static requirements)
- flat or relatively flat roofs
- irrigation system in dry periods
- Waterproofing surface/roof

	Transpiration	$\bullet \bullet \bigcirc$
	Shading	$\bullet \bigcirc \bigcirc$
Cooling Service	Evaporation	$\bullet \bigcirc \bigcirc$
	Building (Insulation)	$\bullet \bullet \bigcirc$
	Reflection (Albedo)	$\bullet \bigcirc \bigcirc$
	Water Conveyance	$\bullet \bullet \bigcirc$
Courfe an Michael	Water Infiltration	
Surface Water Regulation	Water Retention	
Regulation	Water Storage	$\bullet \circ \circ$
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \bigcirc \bigcirc$
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Diadivarsity	Habitat Provision	$\bullet \circ \circ$
Biodiversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	$\bullet \bigcirc \bigcirc$
	Education	
Provisioning Service	Food / Energy / Material	
Climate		
Regulation	CO2 Sequestration	$\bullet \bigcirc \bigcirc$





N29 LIVING BREAKWATER / SHORELINE



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	✓	 Image: A set of the set of the		 Image: A second s	

Description

Living breakwaters and shorelines are erosion control techniques that combine natural habitats with natural or engineered means of lowering waves energy in order to reduce the damages dealt by storm urge and costal erosion. Often standard breakwaters and shorelines are made of artificial materials such as stones and concrete. Living breakwaters and shorelines, on the other hand, are made from natural materials so that, beside their primary goal, they also can be used as artificial habitats in or

Conditions for Implementation

- Existing types of habitats in the neighborhood
- site's slope, orientation, bathymetry, prevailing currents, waves, and fetch
- Extent of erosion problem
- Other hard shoreline stabilization structures adjacent or nearby

	Transpiration	$\bullet \bullet \bigcirc$
Cooling Sonvice	Shading Evaporation	000
Cooling Service		
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Surface Water	Water Infiltration	
Regulation	Water Retention	
	Water Storage	
	Water Reuse	
Water	Water Filtering	$\bullet \bullet \bigcirc$
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bullet \bigcirc$
Diourversity	Connectivity	$\bullet \bullet \bigcirc$
	Beauty / Appearance	$\bullet \bullet \bigcirc$
Socio-Cultural	Usability / Functionality	$\bullet \bigcirc \bigcirc$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	





N24 LIVING FASCINE



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	 Image: A second s			 Image: A second s	

Description

Fascines are used for stabilization of riversides or hills. By using bundles of living wood, sometimes mixed with dead wood, fascines can be used as living space for plants and animals. In terms of stabilization, living fascines are superior in comparison to "dead" fascines, as roots can give additional protection.

Conditions for Implementation

- timing for construction
- planting needed
- low water flow

	Transpiration	$\bullet \bigcirc \bigcirc$
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Curfe en Minter	Water Infiltration	$\bullet \bigcirc \bigcirc$
Surface Water Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	$\bullet \bigcirc \bigcirc$
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bullet \bigcirc$
biourversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	$\bullet \bigcirc \bigcirc$
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$





N9 LIVING PLANT CONSTRUCTIONS



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s	1	

Description

Living plant constructions are inspired by this approach and aims at using living trees with all their biological services also for construction purposes in order to create living architecture.

Conditions for Implementation

- may need building permissions
- static consideration

	Transpiration	$\bullet \bigcirc \bigcirc$
	Shading	$\bullet \bullet \bigcirc$
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	$\bullet \circ \circ$
	Water Conveyance	
Surface Water	Water Infiltration	
Regulation	Water Retention	
T	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \circ \circ$
and Noise	Air Biofiltration	
Reduction	Noise Reduction	$\bullet \circ \circ$
Biodiversity	Habitat Provision	$\bullet \circ \circ$
Diouiversity	Connectivity	$\bullet \circ \circ$
	Beauty / Appearance	$\bullet \circ \circ$
Socio-Cultural	Usability / Functionality	$\bullet \bullet \bigcirc$
Services	Social Interaction	$\bullet \circ \circ$
	Education	$\bullet \bullet \bigcirc$
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$



Green Walls



N7 LIVING WALL



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
 Image: A second s	 Image: A second s		 Image: A second s	 Image: A second s	

Description

Verticalization of green spaces can increase vegetated surfaces with many ecological services in urban environments. Free standing living walls serve as adaptation measures for the urban heat island effect. They create space with high amenity value and potentially high biodiversity and reduce noise emissions. They are suitable to reuse runoff water and evapotranspirate highly. With extensive vegetation they sustain also longer periods of drought.

Conditions for Implementation

- loadable underground
- little risk of fire at constant irrigation
- can be used as noise barrier

	Transpiration Shading	$\bullet \bullet \bigcirc$
Cooling Service	Evaporation	
Cooling Service	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
	Water Infiltration	
Surface Water	Water Retention	
Regulation		
	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \circ \circ$
and Noise	Air Biofiltration	$\bullet \circ \circ$
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bullet \bigcirc$
Diouiversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	$\bullet \bullet \bigcirc$
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$



Green Walls



N10 MOBILE VERTICAL GREENING



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
 Image: A start of the start of				1	

Description

Mobile Vertical Greenings consist of living wall modules that are fixed to a hook lift container platform.The vegetation cover is very diverse in order to illustrate the high potential of living walls to increase amenity value and stimulate biodiversity. It can be used as a mobile demonstration for green infrastructure, as a test feature, a temporary green installation or as an open green office for information.

Conditions for Implementation

- no fixed location
- use of onboard water tank for irrigation system
- needs space of loading and unloading
- needs flat surface


	Transpiration	
Cooling Service	Shading Evaporation	
Cooling Service	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance Water Infiltration	
Surface Water	Water Retention	
Regulation		
	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \bigcirc \bigcirc$
and Noise	Air Biofiltration	
Reduction	Noise Reduction	$\bullet \bullet \bigcirc$
Biodiversity	Habitat Provision	$\bullet \bigcirc \bigcirc$
Diouiversity	Connectivity	$\bullet \bigcirc \bigcirc$
	Beauty / Appearance	$\bullet \circ \circ$
Socio-Cultural	Usability / Functionality	$\bullet \bullet \bigcirc$
Services	Social Interaction	$\bullet \circ \circ$
	Education	$\bullet \circ \circ$
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$



Constructed Wetlands & Built Structures for Water Management



N18 PERMEABLE PAVING SYSTEM



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s		

Description

Permeable paving systems are known as surfaces that are able to absorb storm water and thus, minimize the surface water runoff. Different systems of permeable pavement surfaces exist. They are commonly installed on car parks, residential streets or sidewalks. On the one hand porous asphalt and permeable concrete improve infiltration providing a homogeneous surface. Other solutions increase the share of substrate / vegetation cover for better infiltration (e.g. vegetated grid paves) or they provide macropores for garvity driven percolation like permeable stone carpets.

Conditions for Implementation

- Implementation on new or existing building sites
- Prior analysis of the soil is necessary
- Compatibility with all kind of street usage should be considered

	Transpiration	$\bullet \bigcirc \bigcirc$
	Shading	
Cooling Service	Evaporation	$\bullet \circ \circ$
	Building (Insulation)	
	Reflection (Albedo)	$\bullet \circ \circ$
	Water Conveyance	
Surface Water	Water Infiltration	$\bullet \bigcirc \bigcirc$
Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	$\bullet \circ \circ$
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Piodivorcity	Habitat Provision	
Biodiversity	Connectivity	
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	$\bullet \circ \circ$
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	



N26 PLANTED EMBANKMENT MAT



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	 Image: A second s			 Image: A set of the set of the	

Description

Planted embankment mats are a combination of mats and a vegetation/seeding layer. These mats are used to recultivate riversides and to prevent erosion. The construction is simple and fast. A combination with fascines is possible.

Conditions for Implementation

- timing for construction
- planting needed
- Iow water flow

	Transpiration	$\bullet \bigcirc \bigcirc$
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Surface Water	Water Infiltration	$\bullet \circ \circ$
Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	$\bullet \circ \circ$
Purification	Water Bio-remediation	$\bullet \bigcirc \bigcirc$
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bigcirc \bigcirc$
Biodiversity	Connectivity	$\bullet \bigcirc \bigcirc$
' (in the second sec	Beauty / Appearance	$\bullet \circ \circ$
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \bigcirc \bigcirc$



Constructed Wetlands & Built Structures for Water Management



N19 RAIN GARDEN



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
✓	✓			 Image: A second s	

Description

A rain garden is a kind of garden that primarily serves as area for water control on a small-scale, especially in urban areas. Rain gardens are established in artificial surroundings and catch water runoff from roofs, roads and other sealed surfaces. Storm water runoff is drained into rain gardens, where it is stored for a certain period, and infiltrates either into the ground soil or flows into the sewage system.

Conditions for Implementation

- space needed
- caring and maintenance
- adapted plant species

Cooling Service	Transpiration Shading Evaporation Building (Insulation) Reflection (Albedo)	
Surface Water Regulation	Water Conveyance Water Infiltration Water Retention Water Storage Water Reuse	
Water Purification	Water Filtering Water Bio-remediation	
Air Purification and Noise Reduction	Deposition Air Biofiltration Noise Reduction	
Biodiversity	Habitat Provision Connectivity	
Socio-Cultural Services	Beauty / Appearance Usability / Functionality Social Interaction Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	





N4 RESIDENTIAL PARK



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1	1		 Image: A second s	 Image: A second s	

Description

Residential Parks are part of the Green Infrastructure (GI) of cities and serve the residential areas as the nearest main entry point for nature based recreation. Larger spatial elements of GI are district parks that often deliver more functions and combine various uses (e.g. sport fields). Smaller green spaces are often playgrounds or connecting green strips of land.

Conditions for Implementation

- Connectivity to the surroundings
- suitable size
- proportion of trees in relation to area

	Transpiration Shading	
Cooling Service	Evaporation	$\bullet \bullet \bigcirc$
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Surface Water	Water Infiltration	
Regulation	Water Retention	$\bullet \bullet \bigcirc$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	$\bullet \bullet \bigcirc$
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \bullet \bigcirc$
and Noise	Air Biofiltration	$\bullet \bullet \bigcirc$
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bullet \bigcirc$
biourversity	Connectivity	$\bullet \bullet \bigcirc$
	Beauty / Appearance	$\bullet \bullet \bigcirc$
Socio-Cultural	Usability / Functionality	$\bullet \bullet \bigcirc$
Services	Social Interaction	$\bullet \bullet \bigcirc$
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$





N30 RESTORING MANGROVES, BEACHES AND DUNES



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	 ✓ 	 Image: A second s		 Image: A set of the set of the	

Description

Mangroves, beaches and dunes are natural buffer systems reducing negative effects of storms, highwater and so on. By this fact, restoring or preserving mangroves, beaches or dunes does not only provide the opportunity to create new habitats for species living in this environment, they also help to restore the resilience of the ecological system to face flooding and erosion. In this way, beaches can be seen as natural waterfront parks, dunes as natural levees and mangroves as natural breakwaters.

Conditions for Implementation

 Regulations and plans for rehabilitation and maintenance

	Transpiration	
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \bullet \bigcirc$
Curfe en Minter	Water Infiltration	
Surface Water	Water Retention	
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Die altere weiter	Habitat Provision	
Biodiversity	Connectivity	$\bullet \bullet \bigcirc$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	



Coastal Areas



N32 RESTORING OFFSHORE HABITAT



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
		 Image: A second s		 Image: A set of the set of the	

Description

Most seagrass species form large "beds" of root and rhizome system which provide habitat for thousands of marine species and fix soil which leads into reduced erosion. Also, seagrass leads to slowed down water currents and reduced wave energy which reduces the impact of waves on the shoreline. Reefs represent natural breakwaters which leads to lower coastal erosion by reducing wave energy.

Conditions for Implementation

• Technical and plant physiological restrictions

	Transpiration	
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Curfe co Metor	Water Infiltration	
Surface Water Regulation	Water Retention	
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Diadivarsity	Habitat Provision	
Biodiversity	Connectivity	$\bullet \bullet \bigcirc$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	





N25 REVETMENT WITH CUTTINGS





Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	1			 Image: A second s	

Description

By covering eroded riversides with cuttings, riversides can be stabilized against further erosion and allow long-term stabilization by allowing plants to recultivate naturally. It is a simple method, which can be done with local material.

Conditions for Implementation

- timing for construction
- planting needed
- Iow water flow

	Transpiration	$\bullet \bigcirc \bigcirc$
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \circ \circ$
Curfe ee Meter	Water Infiltration	$\bullet \circ \circ$
Surface Water Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
Regulation	Water Storage	$\bullet \bigcirc \bigcirc$
	Water Reuse	$\bullet \bigcirc \bigcirc$
Water	Water Filtering	$\bullet \bigcirc \bigcirc$
Purification	Water Bio-remediation	$\bullet \circ \circ$
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \circ \circ$
Diouiversity	Connectivity	$\bullet \circ \circ$
	Beauty / Appearance	$\bullet \bigcirc \bigcirc$
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	$\bullet \circ \circ$



Coastal Areas



N31 SETBACK LEVEES AND FORELAND DEVELOPMENT



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	 Image: A second s	 Image: A second s		 Image: A second s	

Description

Setback levees are earthen embankments that are located at a distance from a river channel in such a way to allow the river to meander in a more natural manner and occupy some or all of its natural floodplain during high water events. Setback levees also maintain a more natural river and stream dynamics, promoting a more ecologically healthy and dynamic river system. (http://nrcsolutions.org/setback-levees/)

Conditions for Implementation

• Availability of sufficient land

	Transpiration	
	Shading	
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \bullet \bigcirc$
Curfo co Motor	Water Infiltration	
Surface Water Regulation	Water Retention	
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	
Diodiversity	Connectivity	
	Beauty / Appearance	$\bullet \bullet \bigcirc$
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	





N1 SINGLE TREE LINES



Challenges

_ 1	Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	✓	1		 Image: A second s	 Image: A second s	

Description

Single line trees are arranged on one side along streets, bicycle paths and sidewalks. Trees have multiple effects on the local micro-climate conditions. They absorb particular matter, provide shade and are cooling the air. The effect of street trees in general depend on different factors such as tree size, canopy coverage, planting density, tree species, tree health, location, availability of root water or leaf area index.

Conditions for Implementation

- different species for biodiversity
- route characteristics
- soil material and depth
- enough space in the underground

	Transpiration	$\bullet \circ \circ$
	Shading	$\bullet \circ \circ$
Cooling Service	Evaporation	
	Building (Insulation)	
	Reflection (Albedo)	$\bullet \circ \circ$
	Water Conveyance	
Curfe en Minter	Water Infiltration	$\bullet \circ \circ$
Surface Water	Water Retention	$\bullet \circ \circ$
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	$\bullet \circ \circ$
Reduction	Noise Reduction	
Diadiyaratiya	Habitat Provision	
Biodiversity	Connectivity	$\bullet \circ \circ$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \circ \circ$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	



Green Roofs



N13 SMART ROOF



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
✓	1		 Image: A second s	 Image: A second s	 Image: A second s

Description

Smart roofs are a special type of extensive green roofs. They are like extensive green roofs with an extension of conventional green roofs by an additional drainage system under the vegetation layer. The drainage layer retains storm water, which gets reused for watering in dry periods through capillary fibre cylinders' water. 100% of the storm water can be reused for irrigation.

Conditions for Implementation

- waterproofing surface
- sufficient roof load-bearing capacity

	Transpiration	$\bullet \circ \circ$
	Shading	$\bullet \bigcirc \bigcirc$
Cooling Service	Evaporation	$\bullet \bigcirc \bigcirc$
	Building (Insulation)	$\bullet \bullet \bigcirc$
	Reflection (Albedo)	$\bullet \bigcirc \bigcirc$
	Water Conveyance	$\bullet \bullet \bigcirc$
Curfe en Minter	Water Infiltration	
Surface Water	Water Retention	$\bullet \bullet \bigcirc$
Regulation	Water Storage	$\bullet \bullet \bigcirc$
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	$\bullet \bigcirc \bigcirc$
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Diadivarsity	Habitat Provision	
Biodiversity	Connectivity	
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	

Inspiration Card Nature Based Solution

Constructed Wetlands & Built Structures for Water Management



N17 UNDERGROUND WATER STORAGE



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
	 Image: A set of the set of the				

Description

Underground systems below public open spaces (sport fields) composed of modular elements to retain flash floods and to store water for irrigation purposes nearby. Depending on the Geology of an area underground storage capacity retains and stores water after flash floods

Conditions for Implementation

- space for underground storage
- financial investment
- difficult to build for already existing spaces

		Transpiration	
		Shading	
	Cooling Service	Evaporation	
		Building (Insulation)	
		Reflection (Albedo)	
		Water Conveyance	
	Curfo og Motor	Water Infiltration	$\bullet \bullet \bigcirc$
	Surface Water Regulation	Water Retention	$\bullet \bigcirc \bigcirc$
	Regulation	Water Storage	$\bullet \bigcirc \bigcirc$
		Water Reuse	$\bullet \bullet \bigcirc$
ſ	Water	Water Filtering	$\bullet \bigcirc \bigcirc$
	Purification	Water Bio-remediation	
	Air Purification	Deposition	
	and Noise	Air Biofiltration	
	Reduction	Noise Reduction	
	Diadivarsity	Habitat Provision	$\bullet \bigcirc \bigcirc$
	Biodiversity	Connectivity	$\bullet \bigcirc \bigcirc$
		Beauty / Appearance	
	Socio-Cultural	Usability / Functionality	$\bullet \bigcirc \bigcirc$
	Services	Social Interaction	
		Education	
	Provisioning	Food / Energy / Material	
	Service	, eeu, Energy, Hacenar	
	Climate Regulation	CO2 Sequestration	



Parks & Gardens



N35 URBAN GARDENS



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
✓	 ✓ 		 Image: A second s	 Image: A second s	 Image: A second s

Description

Urban gardening is a common way to establish garden space for citizens. There a different concepts of urban gardening, but mostly they are semi-private with a possibility to rent individual beds, or used by an association. The gardens are often built in raised beds, which makes it possible to establish them everywhere, most likely in courtyards or public spaces, and makes them easy to move if needed. They are sources for locally produced food and promote social interaction.

Conditions for Implementation

- space needed
- caring community
- initiative
- organisatior

	Transpiration	$\bullet \bullet \bigcirc$
	Shading	
Cooling Service	Evaporation	$\bullet \bullet \bigcirc$
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	
Curfe en Minter	Water Infiltration	$\bullet \circ \circ$
Surface Water Regulation	Water Retention	$\bullet \circ \circ$
Regulation	Water Storage	\bullet \circ \circ
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	$\bullet \bullet \bigcirc$
Reduction	Noise Reduction	
Diadiuaraitu	Habitat Provision	
Biodiversity	Connectivity	
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \bullet \bigcirc$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	



Coastal Areas



N28 WATERFRONT PARK



Challenges

Climate Mitigation & Adaptation	Water Resilience	Coastal Resilience	Outdoor Comfort	Greening the City	Self-Sufficiency
1		 Image: A second s	 Image: A second s	 Image: A second s	

Description

Waterfront parks are terrains which getting intentionally flooded by floodwater in order to reduce the impact of the flood downstream. Damages caused by floodwater depend form the floodwater peak. The peak can be lowered by installing floodwater parks which capture and store floodwater.

By this way, damages occurring during a flood can be minimalized along the downstream shoreline while the water causes no damage to the waterfront park.

Conditions for Implementation

- Available space
- Accessibility
- Information and evacuation plans

	Transpiration	
	Shading	
Cooling Service	Evaporation	$\bullet \bullet \bigcirc$
	Building (Insulation)	
	Reflection (Albedo)	
	Water Conveyance	$\bullet \bullet \bigcirc$
Surface Water Regulation	Water Infiltration	
	Water Retention	
Regulation	Water Storage	
	Water Reuse	
Water	Water Filtering	
Purification	Water Bio-remediation	
Air Purification	Deposition	
and Noise	Air Biofiltration	
Reduction	Noise Reduction	
Biodiversity	Habitat Provision	$\bullet \bullet \bigcirc$
Diouiversity	Connectivity	$\bullet \bullet \bigcirc$
	Beauty / Appearance	
Socio-Cultural	Usability / Functionality	$\bullet \bullet \bigcirc$
Services	Social Interaction	
	Education	
Provisioning Service	Food / Energy / Material	
Climate Regulation	CO2 Sequestration	